

Elektrolyte, pH-Wert, Spurenelemente

Elektrolyte,

z.T. Ionen, für die Funktion der [Zellen](#) essentielle [Säuren](#), [Basen](#), [Salze](#) im [Cytosol](#).

essentielle	Vorkommen	Bestandteil von Zellen (~ Ur-Meer-Habitate)
Natrium	Vorwiegend extrazellulär	
Kalium	Vorwiegend intrazellulär	
Magnesium ,	Vorwiegend intrazellulär	Magnesiumstoffwechsel
Calcium	Intra- und Extrazellulär	
Chlorid	Intra- und Extrazellulär	
Phosphat	Intra- und Extrazellulär	Phosphatstoffwechsel, FGF23
HCO₃	Intra- und Extrazellulär	
H⁺	Intra- und Extrazellulär	Protonen (H⁺) in wässriger Lösung (Säuregrad) http://www.kabilahsystems.de/ph.pdf

Physiologische Prozesse, wie elektrische Aktivität (Stress) oder Aktivierung von Neurotransmitter-Rezeptoren, führen zu Schwankungen des intra- und extrazellulären pH-Wertes. Die physiologischen Verhältnisse werden über die Nieren, die Atmung und die Schweißsekretion extrem stabil gehalten. **Eine intakte pH-Regulierung ist die Folge eines intakten Zyto-Skeletts.** Die intrazellulären pH-Werte werden durch Zytoskelett-Toxine in den sauren Bereich verschoben, bei Menschen mit intakter Zellatmung (Mitochondrien) aber nicht durch die Ernährung.

Patho-physiologische Prozesse (Zytoskelett Toxine) z.B. Durchblutungsstörungen, Ischämie, Bronchialasthma, epileptische Anfälle etc.. Diese können zu massiven und lebensbedrohlichen Veränderungen des intra- und extrazellulären pH-Wertes in den sauren Bereich führen.

Essentielle Spurenelemente (Mensch):

essentielle	Vorkommen	Bestandteil von und Funktion
Eisen Fe	Fleisch, Blut	Hämoglobin Wachstums-Beschleuniger für die meisten Bakterien
Schwefel S	Eiweiß	~ Urmeer - Katalysator: FeS, Cystein, Methionin, Coenzym A , Thioester , Complement
Nickel Ni		~ Urmeer - Katalysatoren: Fe ₄ NiS ₅ , Fe ₅ NiS ₈
Silicium Si	Bier, Sand	~ statt Kohlenstoff. Mucopolysaccharide in Epithelien und Bindegewebe
Selen Se	Eier, Fleisch	Bestandteil von 30–50 Selenoproteinen wie der Glutathionperoxidase ,
Iod I	Meeresfische, Krustentiere,	Bestandteil der Schilddrüsenhormone
Zink Zn	Schalentiere, Muskelfleisch	Kollagen , Thymulin , Testosteron , am Abbau von Alkohol durch die Alkoholdehydrogenase , beteiligt. Gegenspieler zum Histamin.
Chrom Cr	Fleisch, Vollkornprodukte, Pflanzenöle, Bier	Bestandteil des Glucosetoleranzfaktors
Cobalt Co	Fleisch, Hülsenfrüchte, Brokkoli	Bestandteil von Cobalamin
Fluor F	Schwarztee	fördert als Kristallisationskeim die Einlagerung von Calciumverbindungen in Hartgeweben
Kupfer Cu	Getreide, Nüsse, Kakao, einige grüne Gemüse, Schalentiere	Bestandteil zahlreicher Redoxenzyme
Mangan Mn	Schwarztee, Nüsse, Vollgetreide, grünes Blattgemüse	~ Urmeer – (Manganknollen in der Tiefsee) Katalysatoren: Mn ₄ CaO ₄ , Mn ₄ CaO ₉ .3H ₂ O, Mn ₈ [Ba,K]1-2O ₁₆ , Aktivator und Bestandteil zahlreicher Enzyme, antioxidativer Metabolismus, Knorpel- und Knochensynthese, Gluconeogenese, essentiell bei Borrelien (anstelle von Eisen)
Molybdän Mo	ubiquitär	Bestandteil des universellen Molybdän-Cofaktors
Vanadium V	Hülsenfrüchte, Nüsse, Meeresfrüchte	ungeklärt

[No authors listed]. (1979). [Observations on effect of sodium selenite in prevention of Keshan disease](#). Chin Med J (Engl). 92(7), 471-6

Schrauzer GN, Molenaar T, Kuehn K, Waller D. (1989) [Effect of simulated American, Bulgarian, and Japanese human diets and of selenium supplementation on the incidence of virally induced mammary tumors in female mice](#). Biol Trace Elem Res. 20(1-2), 169-78.

Hou JC. (1997) [Inhibitory effect of selenite and other antioxidants on complement-mediated tissue injury in patients with epidemic hemorrhagic fever](#). Biol Trace Elem Res. 56(1), 125-30.

Li W, Zhu Y, Yan X, Zhang Q, Li X, Ni Z, Shen Z, Yao H, Zhu J. Zhonghua Yu Fang Yi (2000) [\[The prevention of primary liver cancer by selenium in high risk populations\]](#). Xue Za Zhi. 34(6), 336-8.

Beck MA, Nelson HK, Shi Q, Van Dael P, Schiffrin EJ, Blum S, Barclay D, Levander OA. (2001) [Selenium deficiency increases the pathology of an influenza virus infection](#). FASEB J. 15(8), 1481-3.

Schweizer U, Michaelis M, Köhrle J, Schomburg L. (2004) [Efficient selenium transfer from mother to offspring in selenoprotein-P-deficient mice enables dose-dependent rescue of phenotypes associated with selenium deficiency](#). Biochem J. 378(Pt 1), 21-6.

Hill KE, Zhou J, McMahan WJ, Motley AK, Burk RF. (2004) [Neurological dysfunction occurs in mice with targeted deletion of the selenoprotein P gene](#). J Nutr. 134(1), 157-61.

Hurwitz BE, Klaus JR, Llabre MM, Gonzalez A, Lawrence PJ, Maher KJ, Greeson JM, Baum MK, Shor-Posner G, Skyler JS, Schneiderman N. (2007) [Suppression of Human immunodeficiency virus type 1 viral load with selenium supplementation: a randomized controlled trial](#). Arch Intern Med. 167(2), 148-54.

Ouyang Z et al. (2009) **A manganese transporter, BB0219 (BmtA), is required for virulence by the Lyme disease spirochete, Borrelia burgdorferi**. Proc Natl Acad Sci U S A. 106(9), 3449-54. <http://www.ncbi.nlm.nih.gov/pubmed/19218460> **Mangan-Transport-Blockade bei Borrelien durch das Antihistaminikum Loratadin (Claritin®)**

Chiang EC, Shen S, Kengeri SS, Xu H, Combs GF, Morris JS, Bostwick DG, Waters DJ (2009) [Defining the Optimal Selenium Dose for Prostate Cancer Risk Reduction: Insights from the U-Shaped Relationship between Selenium Status, DNA Damage, and Apoptosis](#). Dose Response. 8(3), 285-300. doi: 10.2203/dose-response. 09-036.Chiang

Vazquez-Prieto MA, Miatello RM (2010) **Organosulfur compounds and cardiovascular disease**. Mol Aspects Med 31(6), 540-5. [Abstract](#)

Russel M. (2010) **Urzeugung in der Tiefsee**. Spektrum der Wissenschaft. Dossier 3/10. Von der Urzeugung zum künstlichen Leben.

[Aguirre JD](#), [Clark HM](#), [McIlvin M](#) et al. (2013) **A Manganese-Rich Environment Supports Superoxide Dismutase Activity in a Lyme Disease Pathogen, Borrelia burgdorferi**. [J Biol Chem](#). [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/23376276>

Nicastro HL, Dunn BK (2013) [Selenium and prostate cancer prevention: insights from the selenium and vitamin E cancer prevention trial](#) (Nutrients. 5(4),1122-48. doi: 10.3390/nu5041122.[SELECT](#))

Baum MK, Campa A, Lai S, Sales Martinez S, Tsalaila L, Burns P, Farahani M, Li Y, van Widenfelt E, Page JB, Bussmann H, Fawzi WW, Moyo S, Makhema J, Thior I, Essex M, Marlink R. (2013) [Effect of micronutrient supplementation on disease progression in asymptomatic, antiretroviral-naive, HIV-infected adults in Botswana: a randomized clinical trial](#). JAMA. 310(20), 2154-63. doi: 10.1001/jama.2013.280923.

Geybels MS, van den Brandt PA, Schouten LJ, van Schooten FJ, van Breda SG, Rayman MP, Green FR, Verhage BA (2014) [Selenoprotein gene variants, toenail selenium levels, and risk for advanced prostate cancer](#) J Natl Cancer Inst. 106(3) dju003. doi: 10.1093/jnci/dju003

Kristal AR, Darke AK, Morris JS, Tangen CM, Goodman PJ, Thompson IM, Meyskens FL Jr, Goodman GE, Minasian LM, Parnes HL, Lippman SM, Klein EA (2014) [Baseline selenium status and effects of selenium and vitamin e supplementation on prostate cancer risk](#). J Natl Cancer Inst. 106(3) djt456. doi: 10.1093/jnci/djt456.

Chen Y, et al. (2015) **On the Antitumor Properties of Biomedical Magnesium Metal**. Journal of Materials Chemistry B 3.5 849-58.

Kamwesiga J, Mutabazi V, Kayumba J, Tayari JC, Uwimbabazi JC, Batanage G, Uwera G, Baziruwiha M, Ntirimira C, Murebwayire A, Haguma JP, Nyiransabimana J, Nzabandora JB, Nzamwita P, Mukazayire E; (2015). [Effect of selenium supplementation on CD4+ T-cell recovery, viral suppression and morbidity of HIV-infected patients in Rwanda: a randomized controlled trial](#). Rwanda Selenium Authorship Group. AIDS. 29(9), 1045-52. doi: 10.1097/QAD.0000000000000673

Wagh D, Pothineni VR, Liu MIS et al. (2015) **Borrelia metal transporter A (BmtA) binding small molecules by manganese transport inhibition**. DovePress 9, 805-816
<http://www.dovepress.com/borreliacidal-activity-of-borrelia-metal-transporter-a-bmta-binding-sm-peer-reviewed-article-DDDT>
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4330029/>
<http://www.ncbi.nlm.nih.gov/pubmed/25709405>
« **Borrelia treated with lethal doses of desloratadine exhibited a significant loss of intracellular Mn specifically and a severe structural damage to the bacterial cell wall. Our results support the possibility of developing a novel, targeted therapy to treat Lyme disease by targeting specific metabolic needs of Borrelia.** »

[Samsel A, Seneff S](#) (2015) **Glyphosate, pathways to modern diseases III: Manganese, neurological diseases, and associated pathologies**. Surg Neurol Int. 6, 45. Published online 2015 Mar 24. doi: [10.4103/2152-7806.153876](https://doi.org/10.4103/2152-7806.153876) PMID: PMC4392553
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4392553/>
„**A recent study on cows fed genetically modified Roundup®-Ready feed revealed a severe depletion of serum Mn. Glyphosate, the active ingredient in Roundup®, has also been shown to severely deplete Mn levels in plants.**

Here, we investigate the impact of Mn on physiology, and its association with gut dysbiosis as well as neuropathologies such as autism, Alzheimer's disease (AD), depression, anxiety syndrome, Parkinson's disease (PD), and prion diseases.“

Mohorovic L, Lavezzi A, Stifter S, Perry G, Malatestinic D, et al. (2015) **Ferric Iron Brain Deposition as the Cause, Source and Originator of Chronic Neurodegenerative Diseases**. J Environ Anal Chem 2, 169. doi:10.4172/2380-2391.1000169
<http://www.omicsgroup.org/journals/ferric-iron-brain-deposition-as-the-cause-source-and-originator-ofchronic-neurodegenerative-diseases-2380-2391-1000169.php?aid=65850>

Taylor EW, Ruzicka JA. (2016) [Antisense inhibition of selenoprotein synthesis by Zika virus may contribute to neurological disorders and microcephaly by mimicking SePP1 knockout and the genetic disease PCCA](#). Bull World Health Organ. E-pub: 13 July 2016. doi: <http://dx.doi.org/10.2471/BLT.16.182071>

Li C, Xu D, Ye Q, Hong S, Jiang Y, Liu X, Zhang N, Shi L, Qin CF, Xu Z. (2016) [Zika Virus Disrupts Neural Progenitor Development and Leads to Microcephaly in Mice](#). Cell Stem Cell. 19(1), 120-6. doi: 10.1016/j.stem.2016.04.017.

Tang H, Hammack C, Ogden SC, Wen Z, Qian X, Li Y, Yao B, Shin J, Zhang F, Lee EM, Christian KM, Didier RA, Jin P, Song H, Ming GL. (2016) [Zika Virus Infects Human Cortical Neural Progenitors and Attenuates Their Growth](#). Cell Stem Cell. 18(5), 587-90. doi: 10.1016/j.stem.2016.02.016.

Killin LOJ, Starr JM, Shiue IJ, Russ TC (2016) **Environmental risk factors for dementia: a systematic review** BMC GeriatricsBMC series – open, inclusive and trusted 201616, 175 DOI: 10.1186/s12877-016-0342-y <http://bmcgeriatr.biomedcentral.com/articles/10.1186/s12877-016-0342-y>
“**There is at least moderate evidence implicating the following risk factors: air pollution; aluminium; silicon; selenium; pesticides; vitamin D deficiency; and electric and magnetic fields.**”

Möglicherweise essentielle Spurenelemente (Mensch):

Arsen As	Algen, Krebstiere	~ statt Phosphor L-Arginin-Verstoffwechslung
Bor B	Ubiquitär, z.B. Rote Bete	Essentiell für Knochen- und Gehirnstoffwechsel
Lithium Li		Natriumantagonist; Anfallsprophylaxe bei Schizophrenie / Li-Orotat: Serumspiegel Kontrolle! (Zielwert 0,5 – 1,2 mmol/l)
Rubidium Rb		
Zinn Sn		
Barium Ba		

Travers RL, Rennie GC, Newnham RE (1990) **Boron in Arthritis: The results of a double blind pilot study.** J. Nutr. Med. 1, 127-132

Newnham RE (1994) **Essentiality of boron for healthy bones and joints.** Environ. Health. Perspect. 102, 83-85

Penland JG (1994) Dietary boron, brain function, and cognitive performance. Environ. Health Perspect. 102, 65-72

Hunt CD, Idso JP (1999) Dietary Boron as a physiological regulator of the normal inflammatory response: A review and current research progress. J. Trace. Elem. Med. 12, 1221-233

Emsley J (2003) Parfum, Portwein, PVC: Chemie im Alltag (Erlebnis Wissenschaft) Wiley-VCH Verlag GmbH & Co. KGaA; Auflage: 1. Auflage
<http://www.amazon.de/Parfum-Portwein-PVC-Wissenschaft/dp/3527307893>


Davies P. (2010) Aliens auf der Erde? Spektrum der Wissenschaft. Dossier 3/10. Von der Urzeugung zum künstlichen Leben.

Banerjee M, Banerjee N, Bhattacharjee P et al. (2013) **High arsenic in rice is associated with elevated genotoxic effects in humans.** Scientific reports. 3, 2195, [doi:10.1038/srep02195](https://doi.org/10.1038/srep02195). [PMID 238730](https://pubmed.ncbi.nlm.nih.gov/238730/)

Mertens J, Wang QW, Kim Y, et al. (2015) [Differential responses to lithium in hyperexcitable neurons from patients with bipolar disorder.](#) Nature. 527, 95-99.

[Ishag HZ](#), [Wu YZ](#), [Liu MJ](#) et al. (2016) **In vitro protective efficacy of Lithium chloride against Mycoplasma hyopneumoniae infection.** [Res Vet Sci.](#) 106, 93-6. doi: 10.1016/j.rvsc.2016.03.013. Epub 2016 Apr 4. <https://www.ncbi.nlm.nih.gov/pubmed/27234543>
«Collectively, our data showed that LiCl inhibited the infection of M. hyopneumoniae through anti-apoptotic mechanism. «

Stern S, Santos R, Marchetto MC, et al. (2017) [Neurons derived from patients with bipolar disorder divide into intrinsically different sub-populations of neurons, predicting the patients' responsiveness to lithium.](#) Mol Psychiatry. doi: 10.1038/mp.2016.260. [Epub ahead of print]

[Bernt - Dieter Huismans](#) Start 2013. Letzte Revision Juni 2017 www.Huismans.click 
 Back to top: http://www.xerlebnishaft.de/elektro_spur_ph.pdf