

Vitamine bei chronischen Entzündungskrankheiten. Vitamins in chronic inflammatory diseases.

Tetrahydrofolsäure, Vitamin B12, B-Vitamine, Nicotinsäure, Niacin, Vitamin D3, (K2), Vitamin E

Wasserlösliche Vitamine, z.B.:

Tetrahydrofolsäure, Vitamin B12, B-Vitamine, Nicotinsäure, Niacin

Fettlösliche Vitamine, z.B.:

Vitamin D, Vitamin E, Vitamin K

Fettlösliche Vitamine kumulieren im Fettgewebe. Sie können überdosiert werden.

Tetrahydrofolsäure, Vitamin B12, B-Vitamine, Nicotinsäure, Niacin

Wirk-Orte: Methylcyclus <http://www.xerlebnishaft.de/bildmethyl-arginin.pdf>

[Mallat J](#), [Lemyze M](#), [Thevenin D](#) (2016) **Do not forget to give thiamine to your septic shock patient!** *J Thorac Dis.* 8(6), 1062–1066. doi: [10.21037/jtd.2016.04.32](https://doi.org/10.21037/jtd.2016.04.32) PMID: PMC4885988
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4885988/>

[Shi H](#), [Enriquez A](#), [Rapadas M](#) et al. (2017) **NAD Deficiency, Congenital Malformations, and Niacin Supplementation.** *N Engl J Med.* 377(6), 544-552. doi: 10.1056/NEJMoa1616361.
<https://www.ncbi.nlm.nih.gov/pubmed/28792876>

Vitamin C

Wirk-Orte: Siehe unter „Vitamin C“. Saurer als Essig, Radikalfänger, wenn nicht deutlich überdosiert wurde. Essentiell zur Synthese von Kollagen über Aminosäure Prolin:
<http://www.kabilahsystems.de/biogeneamineundpeptide.pdf>

Vitamin C is more acidic than vinegar, it is working as a radical scavenger, if it is not significantly overdosed. Vitamin C is essential for the synthesis of collagen via the amino acid proline: <http://www.kabilahsystems.de/biogeneamineundpeptide.pdf>

Spellberg MA, Keeton RW (1939) Excretion of Ascorbic Acid in Relation to Saturation and Utilization. *Arch. Int. Med.*, 63, 1095

Crandon JH, Lund CC, Dill DB (1940) Experimental Human Scurvy. *New England J. Med.*, 223, 555

Ralli EP, Sherry S (1941) Adult Scurvy and Metabolism of Vitamin C. *Medicine.* 20, 251

Russell WO, Calloway CP (1943) Pathogenic Changes in the Liver and Kidneys of Guinea Pig Deficient in Vitamin C. *Arch. Path.*, 35, 546

Nungester WJ, Ames AM (1948) The Relationship Between Ascorbic Acid and Phagocytic Activity. *J. Infect. Dis.*, 83, 50

McCormick WJ (1951) Vitamin C in the Prophylaxis and Therapy of Infectious Diseases. *Arch. Pediat.*, 68, 1

McCormick WJ (1952) Vitamin C as a Chemotherapeutic Agent. Arch. Pediat.. 69, 151

Schaffer CF, Chapman DW (1952) Correlative Cardiology: an Integration of Cardiac Function and the Management of Cardiac Disease. Philadelphia, W. B. Saunders Company

Barac G (1956) Recherches sur la brûlure XL. Vassopressine, pituitine et effet diurétique de l'acide ascorbique chez le chien. Arch. internat. de pharmacodyn. et de therap., 107, 98

Kirchmair H (1957) Ascorbinsäurebehandlung der Hepatitis im Kindesalter. Die Deutsche Gesundheitswesen. 12, 773

Kirchmair H, Kirsch B (1957) Behandlung der Hepatitis Epidemica im Kindesalter mit hohen Dosen Ascorbinsäure. Medizinische Monatsschrift. 11, 353

Willis GG (1957) The Influence of Ascorbic Acid upon the Liver. Canadian M. A. J., 76, 1044

Calleja HB, Brooks RH (1959) Acute Hepatitis Treated with High Doses of Vitamin C. http://www.seanet.com/~alexs/ascorbate/196x/calleja-hb-et-al-ohio_st_med_j-1960-v56-p821.htm

Anderson R, Smit MJ, Joone GK et al. (1990) Vitamin C and cellular immune functions. Ann N.Y. Acad. Sci. 587, 34-48

Ehrlich SD (2013) Vitamin C (Ascorbic acid). University of Maryland Medical Center. <http://www.umm.edu/health/medical/altmed/supplement/vitamin-c-ascorbic-acid>

Vitamin D3

Vitamin D3 ist ein Hormon.

Wirk-Orte: Darm (Calcium-Resorption), Knochen (Mangel: Rachitis), Niere (Calcium-Rückresorption).

Wirkweisen: immunmodulatorisch, entzündungshemmend, schmerzlindernd, psychisch aufhellend

Vitamin D Mangel: Nicht Ursache, sondern ein Symptom chronischer Entzündungs-Prozesse.

Nagalase = Vitamin D bindender Faktor in einem Wirtsorganismus.

McCullum EV, Pitz W (1917) The "Vitamine" Hypothesis and Deficiency Diseases. J. Biol. Chem. 31, 229–253 <http://www.jbc.org/content/277/19/e8.full>

Windaus A, Hess A (1926) Sterine und antirachitisches Vitamin. Nachrichten von der Gesellschaft der Wissenschaften zu Göttingen. 175-184

Mellanby E (1930). ["A Lecture on THE RELATION OF DIET TO HEALTH AND DISEASE: SOME RECENT INVESTIGATIONS"](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2312877/). British Medical Journal 1 (3614), 677–681

Windaus A, Schenck F, Werder FV (1936) Über das antirachitisch wirksame Bestrahlungsprodukt aus 7-Dehydrocholesterol. Z. Physiol. Chem. 241,100-103

Andjelkovic Z, Vojinovic J, Pejnovic N, et al. (1999) Disease modifying and **immunomodulatory effects** of high dose 1 alpha (OH) D3 in rheumatoid arthritis patients. Clin Exp Rheumatol 17, 453-6

Hein G, Oelzner P. (2000) Vitamin D metabolites in rheumatoid arthritis: findings – hypotheses – consequences. Z Rheumatol 59 (Suppl 1), 28-32

Merlino LA, Curtis J, Mikuls TR, Cerhan JR, Criswell LA, Saag KG. (2004) Vitamin D intake is inversely associated with rheumatoid arthritis: results from the Iowa Women's Health Study. Arthritis Rheum 50, 72-7

Cantorna MT, Mahon BD. (2004) Mounting evidence for vitamin D as an environmental factor affecting autoimmune disease prevalence. *Exp Biol Med* (Maywood) 229, 1136-42

Arnson Y, Amital H, Shoenfeld Y. (2007) Vitamin D and autoimmunity: new aetiological and therapeutic considerations. *Ann Rheum Dis* 2007; 66: 1137-42. Holick MF. Vitamin D deficiency. *N Engl J Med* 357, 266-81

Autier P, Gandini S. (2007) Vitamin D supplementation and total mortality: a meta-analysis of randomized controlled trials. *Arch Intern Med* 167, 1730-7

Orbach H, Zandman-Goddard G, Amital H, et al. (2007) Novel biomarkers in autoimmune diseases: prolactin, ferritin, vitamin D, and TPA levels in autoimmune diseases. *Ann N Y Acad Sci* 1109, 385-400

Cherniak EP, Florez H, Roos BA, Troen BR, Levis S. (2008) Hypovitaminosis D in the elderly: from bone to brain. *J Nutr Health Aging* 12, 366-73

Cutolo M, Otsa K, Paolino S, Yprus M, Veldi T, Serio B. (2009) Vitamin D involvement in rheumatoid arthritis and systemic lupus erythematosus. *Ann Rheum Dis* 68, 446-7

Cutolo M. (2009) Vitamin D and autoimmune rheumatic diseases. *Rheumatology (Oxford)* 48, 210-12

Straube S, Andrew MR, Derry S, McQuay HJ (2009) Vitamin D and **chronic pain**. *Pain* 141, 10-13.

Shoenfeld N, Amital H, Shoenfeld Y. (2009) The effect of melanism and vitamin D synthesis on the incidence of autoimmune disease. *Nat Clin Pract Rheumatol* 5, 99-105

Amital H, Szekanecz Z, Szucs G, et al. (2010) Serum concentrations of 25-OH vitamin D in patients with systemic lupus erythematosus (SLE) are inversely related to disease activity: is it time to routinely supplement patients with SLE with vitamin D? *Ann Rheum Dis* 69, 1155-7

Craig SM, Yu F, Curtis JR, et al. Vitamin D status and its associations with disease activity and severity in African Americans with recent-onset rheumatoid arthritis. *J Rheumatol* 2010; 37: 275-81

Cantorna MT. (2010) Mechanisms underlying the effect of vitamin D on the **immune system**. *Proc Nutr Soc* 69, 286-9

Oren Y, Shapira Y, Agmon-Levin N, et al. (2010) Vitamin D Insufficiency in a sunny environment: a demographic and seasonal analysis. *IMAJ Isr Med Assoc J* 12, 751-6

Heidari B, Shirvani JS, Firouzjahi A, Heidari P, Hajian-Tilaki KO. (2010) Association between **nonspecific skeletal pain** and vitamin D deficiency. *Int J Rheum Dis* 13, 340-6

Harari M, Dramsdahl E, Shany S, et al. (2011) Increased vitamin D serum levels correlate to clinical improvement of rheumatic diseases after Dead Sea climatotherapy. *IMAJ Isr Med Assoc J* 13, 212-215

Kerr GS, Sabahi I, Richards JS, et al. (2011) Prevalence of vitamin d insufficiency/deficiency in rheumatoid arthritis and associations with disease severity and activity. *J Rheumatol* 38,53-9

Spitz J (2011) Superhormon Vitamin D: So aktivieren Sie Ihren Schutzschild gegen chronische Erkrankungen.
<http://www.amazon.de/Superhormon-Vitamin-aktivieren-Schutzschild-Erkrankungen/dp/3833822724>

Autier P et al (2014) Vitamin D: chasing a myth? *The Lancet Diabetes & Endocrinology* 2(1), 76-89
[http://dx.doi.org/10.1016/S2213-8587\(13\)70165-7](http://dx.doi.org/10.1016/S2213-8587(13)70165-7)
http://ac.els-cdn.com/S2213858713701645/1-s2.0-S2213858713701645-main.pdf?_tid=b24f0e98-7872-11e3-8df4-00000aab0f02&acdnat=1389192156_d61728f1178a1e6f627fb55af2eeba91

Witham M, Kennedy G, Belch J2, Hill A, Khan F (2014) Association between vitamin D status and markers of vascular health in patients with chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME). *Int J Cardiol.* pii: S0167-5273(14)00581-6. doi: 10.1016/j.ijcard.2014.03.145. <http://www.ncbi.nlm.nih.gov/pubmed/24726169>

Singh G, Bonham AJ (2014) A Predictive Equation to Guide Vitamin D Replacement Dose in Patients. *J Am Board Fam Med.* 27(4); 495-509. <http://www.ncbi.nlm.nih.gov/pubmed/25002004>
<http://www.jabfm.org/content/27/4/495.full>

[Najafipoor A](#), [Roghalian R](#), [Zarkesh-Esfahani SH](#) et al. (2015) **The beneficial effects of vitamin D3 on reducing antibody titers against Epstein-Barr virus in multiple sclerosis patients.** *Cell Immunol.* 294(1), 9-12. doi: 10.1016/j.cellimm.2015.01.009. Epub 2015 Jan 28. <http://www.ncbi.nlm.nih.gov/pubmed/25666504>

[Mateen S](#), [Moin S](#), [Shahzad S](#), [Khan AQ](#) (2017) **Level of inflammatory cytokines in rheumatoid arthritis patients: Correlation with 25-hydroxy vitamin D and reactive oxygen species.** *PLoS One.* 12(6), e0178879. doi: 10.1371/journal.pone.0178879. eCollection 2017. <https://www.ncbi.nlm.nih.gov/pubmed/28594861>

Lanham New S, Tripkovic L (2017) **Daily supplementation with 15 mg vitamin D2 compared with vitamin D3 to increase wintertime 25-hydroxyvitamin D status in healthy South Asian and white European women: a 12-wk randomized, placebo-controlled food-fortification trial.** *American Journal of Clinical Nutrition.* OI, *AJCN/2016/138693.* <https://www.ncbi.nlm.nih.gov/pubmed/28679555>

Vitamin K2, Menachinon (MK-n)

Bis zu 50 % des vom Körper benötigten Vitamin K₂ werden von einer physiologischen Darmflora synthetisiert werden. Der Rest kann über grüne Pflanzen aufgenommen werden. Die Menachinon-Synthese im Darm kann durch operative Entfernung von Darmabschnitten, chronisch-entzündliche Darmerkrankungen, Zöliakie, andere Darm-Erkrankungen und durch die Therapie mit Antibiotika, wie Cephalosporinen, Ampicillin und Tetracyclinen erheblich beeinträchtigt werden. Alle Vitamin K Varianten werden in der Leber gespeichert.

Dam H (1929) Cholesterinstoffwechsel in Hühnereiern und Hühnchen. *Biochem. Z.* 215, 475-479

Doc Medicus. (2014) Vitamin K. Definition, Synthese, Resorption, Transport und Verteilung <http://www.vitalstoff-lexikon.de/Vitamine-A-C-D-E-K/Vitamin-K/>

Vitamin E

Vitamin E- Mangel entsteht erst bei Malabsorption von Pflanzennahrung, durch konsumierende Erkrankungen (chronisch verlaufenden, **multisystemischen Entzündungsreaktionen**, durch infiltrierende und destruiierende Neubildungen [**Karzinome, Sarkome**]), durch **Immundefizienz**.

Wirkorte: Neuromuskuläres System.

Wirkweisen: Proteinsynthese-Regulation, Entzündungs- und Thrombosehemmung, Membran-Stabilisierend, Abfangen von freien Radikalen.

Tappel AL (1962) **Vitamin E: a biological antioxidant.** *Vitam. Horm. (N.Y.)* 20, 493-510

Jensen HP (1963) Vitamin E in der Behandlung der **Rückenmuskelverspannung.** *Therapiewoche* 13, 447

Fahrenholtz SR, Doleiden FH, Trozzolo AM, Lamola AA (1974) On the quenching of singlet oxygen by a-tocopherol. Photochem. Photobiol 20, 505-509

Corash LM, Sheetz M, Bieri JG et al. (1982) Chronic haemolytic anaemia due to glucose-6-phosphat dehydrogenase deficiency or glutathione synthetase deficiency: The role of vitamin E in its treatment. Ann. N. Y. Acad. Sci. 393, 348-360

Guggenheim MA, Ringel StP, Silverman A, Grabert BE (1982) **Progressive neuromuscular disease**. J. Pediatr. 100. 51-58 <http://www.ncbi.nlm.nih.gov/pubmed/7057316>

Bieri JG, Corash L, Hubbard VS (1983) Medical uses of Vitamin E. N. Eng. J. Med. 308, 1063-1071

Burton GW, Joyce A, Ingold KU (1983) Is Vitamin E the only lipid-soluble, chain breaking antioxidant in human blood plasma and erythrocyte membranes? Arch Biochem Biophys 221, 281-290

Burton GW, Ingold KU (1986) Vitamin E: application of the principles of physical organic chemistry to exploration of its structure and function. Acc. Chem. Res. 19, 194-201

Blankenhorn G (1986) Klinische Wirksamkeit von Vitamin E bei **aktivierten Arthrosen**. Z. Orthop. 124, 340-343

Mirvish SS (1986) Effects of Vitamin C and E on **N-nitroso compound formation, carcinogenesis, and cancer**. Cancer 58 (8 Suppl.), 1842-1850

Traber MG, Sokol RJ, Ringel P et al. (1987) Lack of tocopherol in peripheral Nerves of vitamin E – deficient patients with **peripheral neuropathie**. N. Eng. J. Med. 317, 262-265

Sokol RJ (1989) Vitamin E and **neurologic function in man**. Free Rad Biol. Med. 6, 189-207

Sokol RJ (1988) Vitamin E deficiency and **neurologic disease**. Ann. Rev. Nutr. 8, 351-373

Muller DPR, Gross-Samptson MA, (1990) Neurochemical, neurophysiological and neuropathological studies in vitamin E deficiency. Crit. Rev. Neurobiol. 5, 239-264

Tegerdy RP (1990) The role of Vitamin E in **immune response and disease resistance**. Ann. N. Y. Acad. Sci. 587, 24-33

Sies HM, Murphy E (1991) Role of tocopherols in the protection of biological systems against oxidative damage. J Photochem Photobiol B: Biology 8, 211-224

Esterbauer H, Dieber-Rotheneder M, Striegl G et al. (1991) Role of Vitamin E in **preventing the oxidation of low-density lipoprotein**. Amer. J. clin. Nutr. 53, 3, 14S-21S

Boscoboinik D, Scewczyk A, Hensey C, Azzi, A. (1991) Inhibition of **cell proliferation** by a-tocopherol. J. boil. Chem. 266, 6188-6194

Knekt P, Aromaa A, Maatela J et al. (1991) Vitamin E and **cancer prevention**. Amer. J. clin. Nutr. 53, 283S-286S

www.ncbi.nlm.nih.gov/pubmed/16013408

www.ncbi.nlm.nih.gov/pubmed/15041701

www.ncbi.nlm.nih.gov/pubmed/2332732

www.ncbi.nlm.nih.gov/pubmed/8843212

www.ncbi.nlm.nih.gov/pubmed/26425827

www.ncbi.nlm.nih.gov/pubmed/26829748

Bernt - Dieter Huismans, Letzte Revision August 2017 www.Huismans.click



Back to top: <http://www.xerlebnishaft.de/vitamine.pdf>

