

Westernblot Banden

Dressler F, Whalen JA, Reinhardt BN, Steere AC (1993) Western blotting in the serodiagnosis of Lyme-disease. J. Infect Dis. 167, 392-400 <http://www.ncbi.nlm.nih.gov/pubmed/8380611>

Johnson BJ, Robbins KE, Bailey RE et al. (1996) **Serodiagnosis of Lyme Disease: Accuracy of a Two-Step Approach Using a Flagella-Based ELISA and Immunoblotting.** The Journal of Infectious Diseases, 174, 346-353. <http://dx.doi.org/10.1093/infdis/174.2.346>

[Hauser U](#), [Lehnert G](#), [Lobentanzer R](#), [Wilske B](#). (1997) Interpretation criteria for standardized Western blots for three European species of *Borrelia burgdorferi* sensu lato. J Clin Microbiol. 35(6), 1433-44. <http://www.ncbi.nlm.nih.gov/pubmed/9163458>

Tilton RC, Sand MN, Manak M (1997) **The Western immunoblot for Lyme disease: determination of sensitivity, specificity, and interpretive criteria with use of commercially available performance panels.** Clin Infect Dis. 25(Suppl 1), 31-S34.

[Hauser U](#), [Lehnert G](#), [Wilske B](#) (1999) Validity of Interpretation Criteria for Standardized Western Blots (Immunoblots) for Serodiagnosis of Lyme Borreliosis Based on Sera Collected throughout Europe. J. Clin. Microbiol. 37(7) 2241-2247 <http://jcm.asm.org/content/37/7/2241.full>

Brouqui P, Bacellar F, Baranton G et al. (2004) Guidelines for the Diagnosis of Tick-Borne Bacterial Diseases in Europe. Clinical Microbiology and Infection, 10, 1108-1132. <http://dx.doi.org/10.1111/j.1469-0691.2004.01019.x>

Wilske B, Fingerle V, Schult-Spechtel U (2007) Microbiological and serological diagnosis of Lyme borreliosis. FEMS Immunol Med Microbiol 49, 13-21 <http://www.ncbi.nlm.nih.gov/pubmed/17266710>

Binnicker MJ, Jespersen DJ, Harring JA, Rollins LO, Bryant SC, Beito EM (2008) **Evaluation of two commercial systems for the automated processing, reading and interpretation of Lyme Western blots.** J Clin Microbiol. 46, 2216-2221.

[Jiang Y](#), [Hou XX](#), [Geng Z](#), [Hao Q](#), [Wan KL](#). (2010) Interpretation criteria for standardized Western blot for the predominant species of *Borrelia burgdorferi* sensu lato in China. Biomed Environ Sci. 23(5), 341-9. doi: 10.1016/S0895-3988(10)60074-8. <http://www.ncbi.nlm.nih.gov/pubmed/21112481>

Seribur V, Ndukwe N, Chang Z, Cox E, Wormser GP (2012) High frequency of false positive IgM immunoblots for *Borrelia burgdorferi* in Clinical Practice. Infectious Diseases. CMI 18, 1236-1240 <http://onlinelibrary.wiley.com/doi/10.1111/j.1469-0691.2011.03749.x/abstract>

Berghoff W (2014) **Serologie im Frühstadium.**
http://www.praxis-berghoff.de/dokumente/berghoff150714/Kapitel_22-1_Serologie_im_Fruehstadium.pdf

Berghoff W (2014) **Interpretationskriterien des Westernblots.**
http://www.praxis-berghoff.de/dokumente/berghoff150714/Kapitel_22-4_Interpretationskriterien_des_Westernblots.pdf

(2014) **Laborlexikon. Facharztwissen für alle.**
http://www.laborlexikon.de/Lexikon/Tabellen/21-Banden_Borrelien-Blot.htm

Shah JS, Cruz I, Narciso W et al. (2014) **Improved Sensitivity of Lyme disease Western Blots Prepared with a Mixture of *Borrelia burgdorferi* Strains 297 and B31.** Chron Dis Int <http://www.ilads.org/media/boston/slides/harris-sh/harris-sh.html>

[Bernt - Dieter Huismans](#), Start 2013. Letzte Revision Februar 2017 www.Huismans.click 

Back to top: <http://www.xerlebnishaft.de/west.pdf>